



T. 1, R. 3 W. 1st Mer.



Meanders 162

T. 2, R. 3 W. 1st Mer.



Meanders, 178.

T. 2. R. 3. W. 1. Mer.

Township No. 2 Range No. 3 West 1. Mer.
Indiana

North Boundary of T. 2. R. 3. W. of Mer.
West 1st Mile West from the South East corner
 1.97 an Elm tree 5 ins. dia. on the W. of a large ridge
 23.00 a Branch of Plum-b-lick creek 50 yds. wide, bears
 S. East, no water
 37.20 an Ash 18 ins. dia
 45.00 Same branch as before, bears North
 58.00 a Beech 14 ins. dia
 80.00 a post, from which a Sugar-tree 9 ins. dia. bears
 S 50 W 34 yds. dis. & another 8 ins. dia. bears N 18 E
 45 yds. dis. This mile all ridges 1st rate land,
 with abundance of Ash, Beech, Poplar, Elm, Walnut,
 Sugar-tree, Honey Locust, Sycamore & much Spruce

West 2nd Mile West
 10.00 a Water course 8 yds. wide bears S. no water
 19.14 a Beech 48 ins. dia
 37.41 an Ash 24 " "
 67.32 a Wagon road bearing S. E. & N. W
 70.50 a Sugar-tree 6 ins. dia. in a rich bottom
 71.60 a creek bearing S 25 E but little water 500 yds. wide
 80.00 a post from which a Hackberry 8 ins. dia. bears
 S 74 E 13 yds. dis. & a Sycamore 26 ins. dia. bears S 69 W
 26 yds. dis. This mile 1st rate land, with fine
 timber as before enumerated, with abundance
 of Spruce brush & some briars

West 3rd Mile West
 8.25 a Spanish Oak 26 ins. dia on the East bank of
 Indian creek, bearing N 45 E, frozen over
 15.00 West bank of the creek, in a Beech bottom
 26.75 a Blue Ash 18 ins. dia
 38.00 Same creek on East side, bears South 250 yds. wide
 42.73 a Sugar-tree 5 ins. diam.

M. D. R. 3. W. 1. st Mer.

- 46.00 a Water course 8 Mts. wide bears E — no water
 48.76 a B. Ash 15 ins. dia.
 69.50 a Buck 36 " "
 80.00 a post from which a Buck 7 ins. dia. bears
 South 29 Mts. dis. & another of same diameter bears
 N^o E 22 Mts. dis. This mile 1st rate land, some
 level land on the creek, the remainder very
 broken. Timber — Ash, Walnut, Buck, Sugar,
 Poplar, under brush, Spice & green briars —

West 4th Mile West

- 8.11 a Buck 10 ins. dia.
 33.12 a Do 14 " "
 39.26 a Hickory 12 " "
 47.50 a Water course 8 Mts. wide, bears S. no water
 57.24 a Sugar tree 26 ins. dia.
 76.00 a Water course 10 Mts. wide, bears S. E. no water
 80.00 a post from which a Buck 10 ins. dia. bears
 N^o W 24 Mts. dis. & a Buck 8 " " "
 S^o E 20 Mts. dis. This mile 2^d rate land,
 moderate ridges. fit for the production of all
 kinds of small grain. The timber & under brush
 same as the preceding mile

5th Mile West

- 4.26 a Blue Ash 6 ins. dia.
 26.75 a Water course 6 Mts. wide bears S. W. no water
 28.77 a Lignum tree 18 ins. dia.
 34.25 a Water course 8 Mts. wide, bears S. no water
 42.50 a " " 8 " " " " "
 56.25 another 10 Mts. wide } they join 50 Mts. South of
 57.50 another 25 Mts. wide } the line, no water
 68.50 another 6 Mts. wide, bears S. E. no water
 80.00 a post from which an Elm 15 ins. dia. bears
 N^o W 21 Mts. dis. & a Buck 15 " " "
 S^o E 43 Mts. dis. This mile all ridges & deep

T. J. R. 3. W. 1. 5th Mer

gutters or water courses, land 2^d rate, with abundance of Ash, Oak, Buck, Sugar-tree, Hickory, Walnut, Lyrus &c. under brush Spruce.

West

6th Mile West

- 1.23 an Elm 26 ins. dia.
 7.91 a Buck 24
 21.10 a Water course 10 Mts. wide, bears S. no water
 27.9 a Buck 28 ins. dia.
 36.00 a Water course 30 Mts. wide bears S. E. no water
 61.80 a White Oak 36 ins. dia.
 70.18 a Buck 10 ins. dia.
 80.00 a post corner of Townships No. 2 & 3 R. 3 & 4 West from which a Sugar-tree 22 ins. dia. bears S 61° W 65 Mts. dis. & a Hackberry 7 N 61° E 17 Mts. dis. — This mile 2^d rate land of the best quality & will admit of handsome farms, capable of producing good small grain, flax, Hemp &c. timbered as the preceding — Spruce & Pines

South

West Boundary of T. No. 2. R. No. 3 W. of Mer
1st Mile South

- 8.29 a Hickory 10 ins. dia.
 30.42 a Buck 16
 34.50 a Water course 8 Mts. wide, bears S. W. no water
 46.6 a Buck 9 ins. dia.
 65.56 an Ash 18
 70.70 a Blue Ash 20 ins. dia.
 73.30 a Water course 10 Mts. wide, runs S. E. — no water
 80.00 a post from which a Buck 20 ins. dia. bears N 88° W 21 Mts. dis. & an Ash 14 ins. dia. bears S 88° E 58 Mts. dis. — This mile 2^d rate land of the first quality covered with Ash, Oak, Buck, Sugar tree, Walnut, Elm, Lyrus, Poplar, Hickory &c. — gentle ridges — Spruce & Pines —

S. I. R. B. W. 1st Mer.

South

1st mile South

- 3.97 a White Oak 34 ins. dia
 5.82 a Blue Ash 14 " "
 14.50 the junction of two gutters bearing E. no water
 27.50 a Water course 80 lbs. wide bears S.W. no water
 30.8 a Sugar tree 14 ins. dia
 35.00 a Water course 12 lbs. wide, bears W. no water
 54.50 a " " 10 " " " S.W. " "
 57.00 a " " 10 " " " W. " "
 62.40 a Spanish Oak 26 ins. dia
 77.17 Intersected the line ran West from the corner of
 Sec. No. 8. 9. 16 & 17 Town 2. Range 3 West, 75 lbs.
 of the measure, here established a post, from
 which a Mulberry 13 ins. dia. bears S 35° E
 16 lbs. dis. & a Buckeye 8 ins. dia. bears N 87° W
 8 lbs. dis. — marked by the plan

- 80.00 a post in the East channel of a creek 100 lbs.
 wide, bears S & E, from which a Hickory 11
 ins. dia. bears N 57° E 40 lbs. dis. & a Hickory 13
 " " " S 74° W — This mile all ridges
 & deep gutters 2nd rate land & timbered with Ash,
 Oak, Buck, Sugar tree, Walnut, Elm, Sycamore, Poplar,
 Hickory & under brush Spice and briars

December 2nd 1800

South

3rd mile South

- 7.21 a Black Oak 26 ins. dia.
 13.75 a Water course 8 lbs. wide bears S. E. no water
 32.00 same water course, mentioned at the post
 44.50 same water course, bears S. E. 150 lbs. wide
 54.00 a Buck 26 ins. dia
 80.00 a post from which an Ash 14 ins. dia. bears
 S 23° E 21 lbs. dis. & a Buckeye 5 " " "
 N 23° W 8 1/2 lbs. dis. This mile much broken
 with high ridges and deep water courses, gutters &c

Timbered as the preceding - Land 2^d rate of the best quality

South 1st Mile South

- 34.59 an Elm 14.5 ins. dia.
 44.83 a Spruce 15 " "
 55.26 a Hickory 10 " "
 78.2 intersected the line run West from the corner of Sec^s. No. 20, 21, 28 & 29 Range 3, Town 2, 85 lbs. East of the measure, here fixed a post. from which an Elm tree 15 ins. dia. bears S 57° W 27 lbs. dis. & an Elm tree 6 " " " N 21° W 6 lbs. dis. This mile 1st rate land, the surface broken with large ridges & deep gutters, timbered as the preceding mile, with the addition of some Yellow Locusts - Marked the trees by the plan

South 5th Mile South

- 14.70 a White Oak 26 ins. dia.
 24.00 a path well beaten bearing S. E. & N. W.
 28.42 a White oak 18 ins. dia.
 47.10 a Water course 8 lbs. wide bears West
 64.50 " " " " " " " North
 71.83 an Elm tree 18 ins. dia.
 80.00 a post from which a Buck 30 ins. dia. bears N 72° E 35 lbs. dis. & a Do 8 " " " S 80° W 17 lbs. dis. This mile 1st rate land, moderate ridges fit for farming & covered with Oak, Oak, Buck, Sugar tree, Walnut &c. Spice under-bush
 December 3^d 1860

South 6th Mile South

- 3.00 same path as in the preceding mile
 16.73 a Hickory 10 ins. dia. on the West of a ridge
 23.26 a Water course 6 lbs. wide, bears West
 35.79 a Spruce tree 15 ins. dia.

J. D. R. B. W. 1st Mile

42.25 a deep gutter bears West
 80.00 a post corner of Towns No. 1 & 2 Range 3 &
 Towns No. 1 & 2 Range 4 - from which a
 1st New ash 8 ins. dia. bears S 45° W 50 lbs. dis. &
 another of the same diameter bears N 66° E
 45 lbs. dis. This mile exceedingly broken, high
 hills & deep gutters, 1st rate land, Timber, Ash,
 Oak, Sugar-tree, Elm, Hackberry, Lin, Spice
 under brush. Marked the trees by the plan

East Boundary of J. (No. D. R. No. 3. W.
 South 1st Mile South from the N. East corner
 22.87 a stream 18 lbs. wide runs East. sufficient to
 turn an overshoot mill, rapid water (at the foot
 of the hill where the post stands)
 35.27 an Ironwood 5 ins. dia. on East side of a large
 hill, rising from said stream.
 50.00 a post (on South side of the above mentioned hill)
 corner of Sec. No. 6 & 7. R. 2. T. 1 from which an
 Ash 26 ins. dia. bears West 15 lbs. dis. & a Buckeye
 4 ins. dia. bears S 75° E 2 lbs. dis - This, mile,
 hilly, broken in some places with stones (on North
 side of the last hill) almost unfit for cultivation
 timbered as the preceding - under briars generally
 Spice wood, some briars & vines

South 2nd Mile South
 4.13 a stream 37 lbs. wide, meanders East
 24.00 a Sugar-tree 8 ins. dia
 49.00 an Ash 26 ins. dia - on S. side of a hill
 59.17 a stream 8 lbs. wide, runs East
 66.9 North bank of Pheasant lick creek 440 lbs. wide runs N
 75.83 1/2 N. Bank of Do. 269 lbs. wide runs S 30° E
 80.00 a post on South side of a gutter corner of Sec. No.
 7 & 15 Town 1. Range 2 from which a Sugar-tree
 10 ins. dia. bears S 58° E & an Elm 8 ins. dia. bears

T. 2. R. 3. W. 1st Mer.

N 48.30° E - This mile like the preceding, hilly & rich. Timber - Ash, Oak, Elm, Buck Sugar-tree &c. marked the trees by the plan

South

3rd Mile South

2582

a post on the bank of the Ohio River between Sec. 13. Town 2 Range 3 & Sec. 18. Town 1. Range 2., from which a Sycamore 10 ins. dia. bears S 19° W 24 lbs. dis. & an Elm 17 ins. dia. bears N 64° E 49½ lbs. dis.

The land from the post to the river of a superior quality. Timber - Ash, Oak, Elm, Buck, Walnut, Sugar-tree &c. underbrush, Spice wood & cane, all killed with the severe frosts last winter. This land has the appearance of being sometimes overflowed. the post stands opposite an island

South Boundary of T. 2. R. 3. W. 1st Mer.
East 1st Mile East from the S.W. corner

19. 3 a Buckeye 10 ins. dia

32.50 a Sugar-tree 6 " " - on a high hill

37.50 The face of a precipice 125 lbs. wide, where the surface & timber had slid to the bottom

55.50 The River-bottom low & very rich

80.00 a post from which a Buckeye 9 ins. dia. bears S 92° E 13 lbs. dis. & another Buckeye 14 " " " N 41° W 15 lbs. dis. This mile from the corner to the bottom uniformly broken with steep hills & gullers, from that to the post, low rich overflowed bottom of the best quality - Timber - Ash, Walnut, Sugar-tree, Buckeye, Honey Locust, Hickory &c. Spice and ash under brush

East

2nd Mile East

8.50

The bank of the Ohio River at the common water mark fixed a post from a Sycamore 26 ins. dia. bears N 71° E 10.2 lbs. dis. & a maple 16 ins. dia. bears S 65° W 159 lbs. dis.

G. I. R. B. W. 1st Mer.

This fraction the same as the bottom —
marked the trees by the plain

Subdivisions into 2 Mile Blocks

South Between Sec. No. 2 & 3

21.24 a 1 Buckeye 6 ins. dia.

39.00 a stream 15 lbs. wide bears S. E. but little water

43.50 a Water course 8 lbs. wide bears E — no water

55.00 a Sugar tree 12 ins. dia.

74.06 a " " 15 " "

80.00 a spot from which an Ash 28 ins. dia. bears

N 4 W 49 lbs. dia. & a Beech 20 " " "

N 71 E 28 lbs. dia. This mile, 1st rate land, with

a great quantity of Ash, Elm, Sugar tree, Poplar

Walnut — Locust, Oak, Hickory, Buckeye, Mulberry

& Lyra &c. & much covered with Spice under brush

South Between Sec. No. 10 & 11

6.56 a 1 Buckeye 10 ins. dia.

18.95 a 1 Black Walnut 36 ins. dia. on side of a low,
rich bottom.

29.43 a Hackberry 15 ins. dia. in an overflowed bottom

31.50 Indian creek 250 lbs. wide, runs W. gentle current

45.36 a 1 Blue Ash 24 ins. dia. on the N. side of a large ridge

49.29 a B. Walnut 30 " " on the N. side of Do.

53.00 Top of the ridge very steep from the creek

56.00 a spot, this mile 1st rate land, very broken, all
high ridges & deep hollows, though not so much
broken as not to admit of cultivation. Timber
& under brush the same as the preceding mile

West Between Sec. No. 12 & 13

17.43 an Elm 28 ins. dia.

50.03 a Blue Ash 26 ins. dia. on South side of a
large hill

May 11th 1799

Continued from the Blue Ash trees

T. T. R. 3 W. 1st Mer.

- 59.00 Top of the ridge very narrow & covered with grass.
on the South side of this ridge a great stone quarry
68.1 a sugar tree 9 ins. dia.
80.00 a post in open Beech land from which a Buck
17 ins. dia. bears S 37° W 16 lbs. dis. & a Buckeye 8
ins. dia. bears N 57° E 30 lbs. dis. This mile
1st rate land, much broken - timber Ash, Oak,
Buck, Sugar tree, Buckeye Hickory, Elm &c

- West Between Sect. No. 11 & 14
1.74 a Buckeye 16 ins. dia
31.13 a Blue Ash 28 ins. dia. on the W. side of a hill
48.82 a White Oak 9 ins. dia
81.50 Intersected the line run South from the corner
of Sect. No. 2 & 3. Township No. 2 Range 3 West
4.20 lbs. North of the measure, there fixed a post
from which a Sugar tree 7 ins. dia. bears S 41° E 27
lbs. dis. & a Buck 8 ins. dia. bears N 57° W 23 lbs. dis.
This mile the same in soil & timber as the preceding
marked the trees by the plan

Wednesday November 26th 1800

~~523 See back page 19th for line between 14 & 15~~

- South Between Sect. No. 22 & 23
1.75 a Buck 18 ins. dia. in the River bottom
8.62 a Water course 20 lbs. wide bears W. no water
24.33 a Buck 9 ins. dia. timber generally 1 Buck
27.24 an Ash 28 ins. dia
41.30 The bank of the Ohio River. here fixed a post
at the low water mark - from which a Honey Locust
12 ins. dia. bears N 57° W 50 lbs. dis. & another of
the same diameter bears N 35° E 135 lbs. dis. corner
of Sect. No. 22 & 23 Town 2 Range 3 West. This
fraction, level rich Beech land, some Ash, Sugar tree
&c. marked the trees by the plan

- West Between Sect. No. 10 & 15

H. D. R. B. W. 1st Nov.

- 9.50 a Sugar tree 10 ins. dia
 45.00 a Cabin North of the line
 47.00 a Honey Locust tree 30 ins. dia.
 50.75 a Water course 8 hrs. wide, meanders S.W., no water
 57.00 East bank of Indian creek runs S. very deep stagnant water, 200 hrs. wide
 73.00 East bank of a water course 100 hrs. wide bears S.E. from thence the line continued up it 500 hrs.
 80.00 a post on the S. bank of the water course, from which a Buckeye 14 ins. dia. bears N.W. 18 hrs. dia. & a Black Walnut 8 ins. dia. bears S.E. 61 hrs. dia. This mile from the post to the cabin high & broken, rich land from thence here level & rich, all on the W. side of the creek, the Ohio river overflows this bottom when high

West Between Sec. No. 9 & 16

- 5.00 a Sugar tree 16 ins. dia. at the foot of a great hill
 10.89 a Blue Ash 28 ins. dia
 20.79 a " " 15 " "
 36.00 Top of the hill (rising from the Sugar tree)
 41.84 a Lyrum tree 28 ins. dia
 80.00 a post, this mile uncommonly broken, hills or rather mountains of great height & deep hollows Land 1st rate with abundance of Ash, Walnut, Sugar-
 -tree Lyrum, Elm, & Spice under brush, with some prairie
 -by Ash & P. Diers — Thursday Nov. 27th 1800

South Between Sec. No. 4 & 5

- 10.10 a Beech tree 10 ins. dia
 41.00 a Water course 8 hrs. wide, bears S.E. no water
 57.00 a " " 50 " " " E. no water
 54.3 a Black Oak tree 24 ins. dia. on a ridge
 71.84 a Beech tree 26 ins. dia
 80.00 a post, from which a Hickory 8 ins. dia. bears S. 78° W 52 hrs. dia. & an Elm 13 ins. dia. bears S 89° E 19 hrs. dia. This mile 2^d rate land, large but moderately

T. 2. R. 3. W. 1st Mer.

high ridges fit for the cultivation of small grain.

South Between Sec. No. 8 & 9. T. 2. R. 3. W.

5.50 a Water course 80 lbs. wide, bears E. but little water

15.15 a Lyrus 20 ins. dia. on the N. of a ridge.

43.74 an Oak 14 on the N. of a large ridge

68.19 a White Oak tree 26 ins. dia.

76.94 intersected the line ran W. from the corner of Sec. No. 10. 11. 14 & 15 T. No. 2. R. No. 3. W. 54 lbs. E. of the measured, here fixed a post from which a Lyrus tree 17 ins. dia. bears N 16 W 17 lbs. dis. & a B. Walnut 12 ins. dia. bears S 4 E 68 lbs. dis. This mile 1st rate land, exceedingly broken, covered with Ash, Walnut, Elm, Sugar tree, Oak, Lyrus, Honey Locust, & spice brush. Marked the trees by the plan

South Between Sec. No. 16 & 17. T. 2. R. 3. W

23.00 a Water course 60 lbs. wide, no water, bears S. E.

33.06 a White Oak tree 20 ins. dia

41.25 a stream 150 lbs. wide, bears N. E. rapid, but little water

69.00 a Blue Ash 13 ins. dia. a very deep gutter West

80.00 a post, 16. 17. 20 & 21, from which a Buckeye 7 ins. dia. bears N 11 E 16 lbs. dis. & a Sugar tree 8 ins. dia. bears S 11 E 118 lbs. dis. This mile 1st rate land much broken the ridges almost mountains, timber generally Ash of different kinds, Walnut, Elm, Sugar tree, some Beech &c. under brush, Spice, principally Ash & briars

South Between Sec. No. 20 & 21. T. 2. R. 3. W

17.88 a Blue Ash 14 ins. dia. on E. side of a large ridge

71.40 another Blue Ash tree 16 ins. dia

80.00 a post 20. 21. 28 & 29 from which a W. Oak 18 ins. dia. bears S 8 E W 36 lbs. dis. & an Ash 14 ins. dia. bears N 76 E 31 lbs. dis. This mile exceedingly broken the same as the preceding mile, soil, timber & under brush. Friday Nov. 28th 1800.

T. L. R. 3. N. 1st Mer

South Between Sec. No. 28 & 29. T. L. R. 3. W.
 12.36 an Elm tree 9 ins. dia.
 38.38 an ash tree 16 " "
 46.53 a Hickory 15 " "
 76.63 an Elm 8 ins. dia. on the E. side of a steep hill
 80.00 a post 28. 29. 32 & 33 from which a Buckeye
 26 ins. dia. bears N 13 E 44 lbs. dis. & a Sugar
 tree 10 ins. dia. bears S 5 1/2 W 55 lbs. dis. This
 mile 1st rate land exceedingly broken, timber
 ash, Oak, Hickory, Elm, Sugar tree, Lyron &
 much Spruce - a fine quarry West of the post
 on the hill.

South Between Sec. No. 32 & 33.
 16.00 The bank of the Ohio River, here set a post
 100 lbs. West of the mouth of a gutter, from which
 a Sycamore 26 ins. dia. bears N 11 1/2 W 70 lbs. dis.
 & another of the same diameter bears S 88 W
 111 lbs. dis. - from the post the land has a
 gradual descent to the River and of little
 value but for the timber - Marked the
 trees by the plan

East Between Sec. No. 21 & 25
 11.50 the bottom of a deep gutter descending from
 the post
 27.36 a Sugar tree 8 ins. dia.
 42.00 an ash 22 ins. dia. on the N. side of a hill
 49.75 a Buck 24 ins. dia. on the South of a hill
 70.00 the River bottom
 77.00 a Buck 16 ins. dia.
 80.00 a post on the West of Arden creek, from which
 a Buck 20 ins. dia. bears S 37 W 24 lbs. dis. & a
 Hickory 6 " " " N 2 E - This mile
 exceedingly broken, high rich hills and deep
 gutters. Timber Oak, Oak, Elm, Hickory, Sugar

J. D. R. B. W. 1st Mer

177

tree & much Spice & briars — Land 1st rate

East Between Sec. No. 22 & 27

- 3.00 Indian creek 150 lbs. wide, frozen over, bears S. to the River
- 7.50 Top of the bank 60 feet high
- 24.00 a Beech 30 ins. dia. face of the River bank
- 26.90 the bank of the Ohio river. here fixed a post from which a Sycamore 26 ins. dia. bears N 72° W 52 1/2 lbs. dia. & an Elm 12 ins. dia. bears N 13° E 120 lbs. dia. This fraction is a high Beech bottom level & fit for cultivation, Marked the trees by the plan — Nov. 29th 1800

West Between Sec. No. 28 & 29

- 12.00 a White Oak 18 ins. dia. on a high hill
- 43.24 a Sugar tree 26 ins. dia
- 80.00 a post from which a W. Walnut 10 ins. dia. bears S 30° W 7 lbs. dia. & a White Oak 13 " " " N 22° E 86 lbs. dia. This mile 1st rate land exceedingly broken, timber generally ash. Elm, Sugar tree, Walnut, Hickory, Poplar, Sycamore, Spice under brush.

West Between Sec. No. 19 & 30

- 23.00 a path bearing N & S
- 38.50 a Hickory 26 ins. dia
- 47.44 a Sugar tree 5 ins. dia. on a ridge West of a path N & S
- 53.00 a Water course 30 lbs. wide, bears N. no water
- 61.25 another 10 lbs. wide bears N — no water
- 71.21 a Sugar tree 8 ins. dia
- 80.00 a post S 5 1/2° E from a Hackberry 23 lbs. dia. and this mile 1st rate land very broken surface & timbered as the preceding mile — not much under brush, some Beech timber

T. D. R. 3. Mt. 1st Mer.

West Between Sec. No. 8 & 17

- 12.25 a Buck 14 ins. dia. on the South of a ridge
 19.68 a White Oak 18 ins. dia
 32.00 a Water course 60 lbs. wide bears S 70° E no water
 53.00 a " " 12 " " " " " " no water
 62.30 a Buck tree 18 ins. dia
 70.25 a Water course 15 lbs. wide bears N. no water
 80.00 a Post on the West of a hill, from which
 a Blue Ash 7 ins. dia. bears S 5° W 25 lbs. dia.
 a Buckeye 6 " " " " N 22° W 42 " "
 This mile much broken, one continuation of
 ridges & deep gutters - Land 2nd rate of the best
 quality. Timber Ash, Oak, Elm, Buck, Sugar
 tree, Buckeye, Poplar, Lymw, Hickory &c. —
 Under-brush Hawthorn & Spice

West Between Sec. No. 7 & 18

- 0.50 a Water course 8 lbs. wide, bears N. W. no water
 8.00 a " " 6 " " " " " " no water
 11.75 a Blue Ash 13 ins. dia.
 25.70 a Water course 30 lbs. wide bears S. no water
 40.00 a deep water course 250 lbs. wide, South of the
 line, bears East
 45.36 a Water course 8 lbs. wide bears S. no water
 61.30 another 8 lbs. wide, bears S. then W. no water
 67.91 a Buck 22 ins. dia. on the W. of a ridge
 71.00 a Water course 7 lbs. wide bears S. West
 80.00 a Post. this mile exceedingly broken with
 small points of ridges & deep gutters, Land
 2nd rate & timbered like the preceding mile
 Monday Dec. 1st 1800

The Meanders of the Ohio River in
 Township No. 2 Range No. 3 West of Mer.
 Commenced at a post between Sec. No. 5 Town

G. D. R. 3 W. 1st Mer.

179

and Sec. No. 32 Town 2 Range 3

N53E	13.00
N46E	15.00
N35E	30.00 rapid water, 3 $\frac{1}{2}$ mile 3 chs. To H. Malones
N45E	37.21 to the post between Sec. 32 & 33 T. 2 R. 3
N52E	5.00 at Main a gutter
N42E	31.00
N35E	5.00 the mouth of a creek on the Kentucky side
N45E	5.00
N38E	22.00
N32E	28.00
N44E	5.00
N42E	3.50 to the mouth of Indian creek
N89E	1.50 to the East bank of Do.
N58E	13.00
N53E	5.00
N49E	14.64 the post between Sec. 22 & 27 T. 2 R. 3
N57E	62.00 a Beautiful bank
N38E	2.31 to the post between Sec. 22 & 23 T. 2 R. 3
N60E	6.00
N52E	14.00
N45E	10.00
N42E	12.00 a high bank & rapid water
N52E	13.00
N59E	11.00
N66E	7.00 at 7 miles ^{ch. lks.} 39.70 James Carothers's landing
N60E	5.00 Saturday Dec. 6 th 1800
N62E	12.00 a ^{ch. lks.} 9.30. a gutter
N67E	3.00
N62E	10.00
N56E	15.00
N42E	5.00
N54E	7.00
N39E	3.00
N52E	6.00
N60E	4.00

T. 2. R. 3. W. 1. Mer.

N 56 E	12.00	
N 73 E	3.50	
N 53 E	2.00	
N 39 E	6.00	
N 57 E	12.00	at 8 hrs. the lower end of the Island
N 49 E	9.00	
N 44 E	14.00	
N 57 E	0.50	To the post between Sec. No. 18 Town No. 1 Range No. 2 & Sec. No. 13 Town No. 2 Range No. 3 West of the Mer.

Surveyed by
Benjamin Chamber
A. D. 1800

Subdivisions of ^{2 mile blocks} T. No. 2 R. No. 3 W. of Mer.		
East	On Random between Sec. No. 2 & 11	
14.22	Indian creek	4.30 — S. E
40.00	Set temp. $\frac{1}{4}$ sec. post	
69.32	a Brook 4 hrs. wide, runs S 55 E	
71.00	Same — — — runs S. E	
80.00	Set temp. centre post. 1 st rate land, very broken ash, sugar, Walnut, Lignum, Beech, Elm, Spruce &c.	

East	Continued East between Sec. No. 1 & 12	
30.08	a Lick	
40.00	Set temp. $\frac{1}{4}$ sec. post	
73.06	a Branch 25 hrs. wide, runs East	
82.50	Bell D. 16 South of post corner of Sec. No. 1 & 12 Land & timber as before	

West	Corrected line between Sec. No. 1 & 12 Set temp. $\frac{1}{4}$ sec. post at average distance on true line	
------	---	--

West	Corrected West between Sec. No. 2 & 11 & set $\frac{1}{4}$ sec. post at average distance on true line	
------	--	--

T. D. R. 3 W. 1st Mer.

North On Random between Sect. No. 11 & 12
 9.82 a Branch 6 lks. wide course East
 25.90 a Do 4 " " " "
 40.00 Set temp. $\frac{1}{4}$ sec. post
 58.20 a Brook 3 lks. wide, course N. W
 76.22 To E & W. line. 1st rate land but broken - ash,
 Sugar Beech, Walnut, Hackberry, Lyrus &c

North Continued North
 7.45 a Branch 20 lks. wide runs N⁵⁵E
 40.00 Set the temp. $\frac{1}{4}$ sec. post
 79.17 Fell 2.80 lks. East of post corner of Sect. No.
 1 & 2 - Land & timber as above

South Corrected between Sect. No. 1 & 2
 Set the $\frac{1}{4}$ sec. post at average distance on true
 line from which a Beech 40 ins. dia. bears N⁴⁴E
 21 lks. dis. & a Do. 4 ins. dia. bears S⁴⁴W 37 $\frac{1}{2}$
 lks. distant

South Continued South on true line and fell 3.50
 lks. East of temp. centre post, moved it to centre
 corner of Sect. No. 1. 2. 11 & 12 from which a White
 Ash 20 ins. dia. bears S⁴⁶E 29 lks. dis. & a Black
 18 ins. dia. bears N⁸³W 20 lks. dis.

West Traveled West between Sect. No. 2 and 11 &
 moved $\frac{1}{4}$ sec. post to average distance, from
 which a Hackberry 16 ins. dia. bears S⁷⁴W 3 lks.
 dis. & a Red Elm 12 ins. dia. bears South 12 lks. dis.

East Traveled East between Sect. No. 1 & 12, and
 moved $\frac{1}{4}$ sec. post to average distance from which
 a Buckeye 12 ins. dia. bears S³¹W 5 $\frac{1}{2}$ lks. dis. &
 a Sugar 12 " " " N⁸E 31 " "

J. D. R. B. W. J. Mer.

South From Centre post on true line between Sec. No. 11 & 12 - Set $\frac{1}{4}$ sec. post at average distance from which a Sugar tree 8 ins. dia. bears S 70° W 14 $\frac{1}{2}$ lbs. dis. & a Blue Ash 30 ins. dia. bears N 77° E 58 lbs. distant
Continued to cor. of Sec. No. 11. 12. 13 & 14

West On Random between Sec. No. 3 & 10
22.18 a Brook 12 lbs. wide, runs S. West
25.25 a Do 8 " " " South
40.00 Set the temp. $\frac{1}{4}$ sec. post
47.50 a Brook 15 lbs. wide, runs South
65.05 a Water course 60 lbs. wide, runs S 10° E
68.25 a " " 20 " " " N 10° E
80.00 Set temp. centre post - Hilly 1st rate land, Blue & W. Ash, Walnut, Lym, Sugar, Buckeye Buck - Pawpaw & Spice

West Continued West between Sec. No. 4 & 9
40.00 Set the temp. $\frac{1}{4}$ sec. post
60.87 a Brook 4 lbs. wide runs South
75.56 a Do 30 " " " "
82.16 Tell 45 lbs. North of post corner to Sections No. 4. 5. 8 & 9 - Land & timber as above

East Corrected line between Sec. No. 4 and 9 and set temp. $\frac{1}{4}$ sec. post at average dis. on true line
Corrected East between Sec. No. 3 & 10 and set $\frac{1}{4}$ sec. post at average distance on true line

South On Random between Sec. No. 3 & 4
25.50 a Brook 4 lbs. wide, runs East
40.00 Set temp. $\frac{1}{4}$ sec. post
64.13 a Water course 50 lbs. wide, runs East
70.75 a " " 15 " " " N. East

81.50 S. E. & W. line - Millly 1st rate land, Blue and
W. Ash, B. Walnut, Sugar, W. Oak, Beech, Spruce &c

South Continued South

7.55 a Buck 11 lbs. in dis. runs N⁵E
33.14 a Do 8 " " " East
39.90 a Do 5 " " " N. East
40.00 Set the temp. $\frac{1}{4}$ sec. post
75.23 a Buck 50 lbs. in dis. runs S⁶3E
77.22 Fell 66 lbs. West of post corner of Sec. (No. 9, 10.
15 & 16 - Land & timber as above

North Connected between Sec. (No. 9 & 10

Set the sec. post at average distance on true line
from which a Hackberry 9 ins. dia. bears N⁷⁷30E
48 lbs. dis. & a Sugar 18 ins. dia. bears S⁸¹30 W 23 $\frac{1}{2}$
links distant.

Continued North on true line & fell 126 lbs. West
of temp. centre post, moved it to centre corner of
Sec. (No. 3, 4, 9 & 10 from which a Blue Ash 16 ins
dia. bears N⁵6E 48 lbs. dis. & a Hickory 20 ins. dia.
bears S⁵6 W 58 $\frac{1}{2}$ lbs. dis.

East Traveled East between Sec. (No. 3 & 10 & moved
 $\frac{1}{4}$ sec. post to average distance from which a
Sugar 8 ins. dia. bears N²⁴20E 92 lbs. dis. and a
Buckeye 7 ins. dia. bears S¹¹W 13 lbs. dis.

West Traveled West between Sec. (No. 4 & 9 & moved
 $\frac{1}{4}$ sec. post to average distance from which a Buck
20 ins. dia. bears S⁶E 34 lbs. dis. & a Buck 6 ins.
dia. bears N¹³15E 39 $\frac{1}{2}$ lbs. dis

North From centre on true line between Sec. (No. 3 & 4
Set the sec. post at average distance from which a
Buck 13 ins. dia. bears N⁵⁰15E 32 $\frac{1}{2}$ lbs. dis. & a

J. J. R. E. W. 1st Nov.

Book 18. ins. dis. bears N 63° W 29 lbs. dis —
Continued to corner of Sec. (no. 3 & 4)

West On Random between Sec. (no. 5 & 8
25.30 a Brook 60 lbs. wide, handsome current, runs S 10° E
40.00 Set the temp. $\frac{1}{4}$ sec. post
47.51 a Brook 12 lbs. wide runs North
62.53 a Do 13 " " " N 10° E
78.63 a Do 5 " " " S. E.
80.00 Set temp. centre post, hilly State land, Blue
Ash, Hackberry, B. Walnut, W. Oak, Elm —
Dogwood, Spice &c.

West Continued West between Sec. (no. 6 & 7)
30.24 a Brook 10 lbs. wide, runs N. E
40.00 Set temp. $\frac{1}{4}$ sec. post
68.50 a Brook 5 lbs. wide, runs N 82° W
71.08 a Do 20 " " " South
76.25 a Do 12 " " " S 10° E
81.65 Yell 17 lbs. North of post corner of Sec. 6 & 7
Good State land, moderate ridges, Oak, Walnut,
Elm, Ash, Sugar, Buck, Dogwood & Spice

East Corrected line between Sec. (no. 6 & 7) and set temp.
 $\frac{1}{4}$ sec. post at average distance on true line

Corrected East between Sec. (no. 5 & 8) & set temp.
 $\frac{1}{4}$ sec. post at average distance on true line

North On Random between Sec. (no. 7 & 8
2.26 a Brook 7 lbs. wide, runs N 10° E
3.66 a Do 8 " " " S. East
14.95 a Do 15 " " " S 75° E
28.77 a Do 6 " " " S. West
40.00 Set the temp. $\frac{1}{4}$ sec. post
74.14 a Brook 10 lbs. wide runs N 10° E

J. D. R. E. W. 1st May

75.89 No. E & W line - Milky Prater land, W. Oak, Ash, Sugar, Hackberry, Lymn, Beech, Spice &c.

Notes Continued North

4.46 a Beech 20 lbs. wide, runs East

40.00 Set the temp: $\frac{1}{4}$ sec. post

58.32 a Beech 20 lbs. wide, runs East

80.62 Fell 49 lbs. East of post corner to Sec. (No. 5 & 6) - Prater land, moderate ridges, W. Oak, Ash, Sugar, Beech, Spice &c.

South Corrected between Sec. (No. 5 & 6) and set $\frac{1}{4}$ sec. post at average distance from which a Hackberry 14 ins. dia. bears $N 40^{\circ} E$ 32 lbs. dis. & a Lymn 20 ins. dia. bears $N 56^{\circ} W$ 37 lbs. dis. Continued South on true line & fell 26 lbs. 48. of temp. centre post, moved it to centre corner of Sec. (No. 5, 6, 7 & 8) - from which a W. Oak 18 ins. dia. bears $N 71.30^{\circ} E$ 18 lbs. dis. & a Honey Locust 8 ins. dia. bears $S 89.20^{\circ} W$ 28 lbs. distant

East Traveled East between Sec. (No. 5 and 8) and moved $\frac{1}{4}$ sec. post to average distance from which a Beech 20 ins. dia. bears $N 1^{\circ} E$ 26 lbs. dis. & a Beech 5 ins. dia. bears $N 81^{\circ} W$ 26 lbs. dis -

West Traveled West between Sec. (No. 6 & 7) and moved $\frac{1}{4}$ sec. post to average distance - from which a Beech 19 ins. dia. bears $N 77^{\circ} E$ 27 lbs. dis. & a Os 35 .. " " $S 33.15^{\circ} W$ 22 lbs. dis.

South From centre on true line between Sec. (No. 7 & 8) - set $\frac{1}{4}$ sec. post at average distance from which a Hickory 6 ins. dia. bears $N 78.50^{\circ} E$ 24 lbs. dis. & a W. Oak 14 ins. dia. bears $S 78.50^{\circ} W$ $3\frac{1}{2}$ lbs. dis. Continued to corner of Sec. (No. 7, 8, 17 & 18)

O. D. R. 3/4 W. 1st Mer.

West On Random between Sec. (No. 17 & 20

1.85 a Brook 8 lks. wide, runs North
 12.03 a Do 8 " " " "
 31.45 a Do 3 " " " " N. East
 40.00 Set true temp. $\frac{1}{4}$ sec. post
 69.95 a Brook 20 lks. wide, runs North
 80.00 Set temp. centre post - 1st rate land, hills all
 the way - Oak, Walnut, Sugar tree, Buckeye,
 Hackberry, Spice & Pawpaw

West Continued West between Sec. (No. 18 & 19

1.12 a Brook 3 lks. wide runs N. W
 16.40 a Do 8 " " " " N 67° W
 23.20 a Branch 40 " " " " North
 34.50 a Brook 3 " " " " N. East
 40.00 Set true temp. $\frac{1}{4}$ sec. post
 46.00 a Brook 3 lks. wide runs North
 64.87 a Do 3 " " " " N 80° W
 74.78 a Do 3 " " " " N. West
 85.48 Set 192 lks. North of post corner of Sec. (No.
 18 & 19 - Land & timber as above

East Connected between Sec. (No. 18 & 19 and set temp. $\frac{1}{4}$
 sec. post at average distance on true line

East Connected East between Sec. (No. 17 & 20 and
 set temp. $\frac{1}{4}$ sec. post at average distance on
 true line

South On Random between Sec. (No. 17 & 18

40.00 Set temp. $\frac{1}{4}$ sec. post
 57.27 a Branch 70 lks. wide, runs N. East
 79.75 a Water course 3 lks. wide runs N. West
 82.00 To East & West line - Broken Trunk, Oak,
 Ash, Sugar, Buckeye, Lym, Walnut, Dogwood

and Spice

South Continued South

12.95 a Birch 2 ¹/₂ lbs. wide, runs St. West

36.85 a Do. 2 " " " St. West

40.00 Set the temp. 1/4 sec. post

52.95 a Birch 3 ¹/₂ lbs. wide, runs West

71.38 Fell 14 lbs. West of post corner of Sect. (No. 19.
20. 29 & 30 - Broken 2 rate land - Timber
as above -

North Corrected the line between Sect. (No. 19 & 20
Set 1/4 sec. post at average distance on true line
from which an Ironwood 5 ins. dia. bears East
11 1/2 lbs. dis. & a Do. 6 ins. dia. bears N 53 W 15 lbs. dis.
Continued North on true line & fell 321 lbs. W.
of temp. centre post, moved it to the centre corner
of Sect. (No. 17. 18. 19 & 20 from which a Sugar
9 ins. dia. bears N 48 W 39 lbs. dis. & a Do. 9 ins.
dia. bears S 64 E 44 lbs. dis.

East Traveled East between Sect. (No. 17 & 20 and set
1/4 sec. post at average distance from which a
Buckeye 13 ins. dia. bears N 12.30 W 35 1/2 lbs. dis.
& a W. ash 14 " " " N 12.30 E 7 1/2 " "

West Traveled West between Sect. (No. 18 & 19 & moved
1/4 sec. post to average distance, from which a W.
Oak 11 ins. dia. bears N 3 E 39 lbs. dis. & a W.
Oak 7 " " " S 8 W 26 1/2 " "

North From centre post on true line between Sect.
(No. 17 & 18 - Set 1/4 sec. post at average distance
from which a W. Oak 13 ins. dia. bears N 5 1/2 W
17 lbs. dis. & a Do. 13 " " " S 65 E
16 lbs. distant -

J. D. R. S. W. J. Mers

Continued the line N. to corner of Sec. 7, 8, 17 & 18

South On Random between Sec. (No. 29 & 30

40.00 Set the temp. $\frac{1}{4}$ sec. post

80.00 Set temp. center post. Dstate land, broken with ridges, Ash, Walnut, Beech, Sugar-tree, Hickory and Spice

South Continued South between Sec. (No. 31 & 32

40.00 Set the temp. $\frac{1}{4}$ sec. post

42.05 a Brook 15 lbs. wide, runs S. East

81.24 Set 40 lbs. West of post corner of Sec. (No. 31 & 32) — Dstate land, very broken, Timber as above

North Connected between Sec. (No. 31 & 32) & set temp. $\frac{1}{4}$ sec. post at average distance on true line
Connected North between Sec. (No. 29 & 30) & set temp. $\frac{1}{4}$ sec. post at average dis. on true line

East On Random between Sec. (No. 30 & 31

19.00 a Brook 3 lbs. wide runs S. East

31.90 a Do 2 " " " S. East

40.00 Set the temp. $\frac{1}{4}$ sec. post

55.33 a Brook 6 lbs. wide runs S. East

63.65 a Do 6 " " " S. East

68.10 a Do 10 " " " S. East

79.53 a Do 3 " " " S. East

81.42 To North & South line. Dstate land, Walnut, Ash, Lyrus, Sugar, Hickory, Beech, Elm, Cork & very great hills

East Continue East

8.97 a Brook 4 lbs. wide runs S. East

17.70 a Do 3 " " " S. East

31.60 a Do 3 " " " S. East

S. I. R. 3. W. of Mer.

189

40.00 Set the temp. $\frac{1}{4}$ sec. post
 56.15 a & Brook 10 Mrs. under runs S. East
 73.50 a Do 10 " " " S. East
 83.10 Tell 28 Mrs. South of the first corner of Sec. (No. 28. 29. 32 & 33. - (The land & timber as the above - Marked the trees by the plan)

West Connected between Sec. (No. 29 & 32 and set $\frac{1}{4}$ sec. post at average distance on true line from which a Hickory 6 ins. dia. bears S 15 E 11 $\frac{1}{2}$ Mrs. dis. & a W. Oak 8 ins. dia. bears N 52 W 20 Mrs. dis. Continued West on true line & fell 130 Mrs. South of temp. centre post, moved it to centre corner of Sec. (No. 29. 30. 31 & 32), from which a Red Elm 6 ins. dia. bears N 42 W 17 Mrs. dis. & a Sycamore 9 " " " S 41 E 36 " "

South Traveled South between Sec. (No. 31 & 32 & moved $\frac{1}{4}$ sec. post to average distance on true line from which a Hackberry 5 ins. dia. bears N 79 W 19 Mrs. dis. & a Do 7 " " " S 79 E 20 $\frac{1}{2}$ Mrs. distant.

North Traveled North between Sec. (No. 29 & 30 and moved $\frac{1}{4}$ sec. post to average distance from which a Hickory 12 ins. dia. bears N 58 E 3 Mrs. dis. & a Hickory 19 ins. dia. bears S 67.30 W 35 Mrs. dis.

West From centre post on true line, between Sec. (No. 30 & 31 & set $\frac{1}{4}$ sec. post to average distance, from which a W. Oak 8 ins. dia. bears N 7 E 31 Mrs. dis. & a W. Oak 30 ins. dia. bears N 15 W 58 Mrs. dis. Continued to corner of Sec. (No. 30 & 31

East Having no post to run to, proceeded to run and blaze between Sec. (No. 28 & 33

S. D. R. B. W. 1st Mer.

4.90 a Brook 8 Mts. wide, runs S. East
 18.14 To the Ohio River set post from which a
 cottonwood 23 ins. dia. bears N 28° W 8½ Mts. dis. &
 W. Elm 17 ins. dia. bears S 57° W 21½ Mts. dis—
 State land, Timber—Ash, Beech, Sugar-tree, Elm,
 Walnut, Buckeye, Lignum & Hackberry.

South On Random line between Sec. (No. 15 & 16
 38.55 a Brook 6 Mts. wide runs East
 40.00 Set the temp. ¼ sec. post
 49.83 a Brook 56 Mts. wide, runs S. East
 80.00 Set the temp. centre post. 1st rate tolerably level
 B & W. ash, Oak, Sugar, Beech, Walnut, Locust,
 Paw paw & Spice

South Continued South between Sec. (No. 21 & 22
 7.92 a Brook 6 Mts. wide runs East
 39.70 a Do. 8 " " " East
 40.00 Set the temp. ¼ sec. post
 74.72 Tell 94 Mts. E- of post corner to Sec. (No. 21, 22,
 27, & 28— Land & timber as above

North Connected line between Sec. (No. 21 & 22 & set temp.
 ¼ sec. post at average distance on true line
 Connected line North between Sec. (No. 15 & 16 & set
 temp. ¼ sec. post at average dis. on true line

East On Random line between Sec. (No. 16 & 21
 40.00 Set the temp. ¼ sec. post
 55.10 a Brook 8 Mts. wide— runs N. W.
 82.86 To the N & S. line—Exceeding hilly, 1st rate land,
 B & W. ash, W. Oak, Walnut, Buckeye, Elm, Sugar, Spice &c

East Continued East
 25.95 Indian creek 130 Mts. wide runs N 10° W
 35.18 a Brook 15 Mts. wide runs S 75° W

40.00 Set the temp. $\frac{1}{4}$ sec. post.

80.80 Fell 25 lbs. St. of post corner to Fed. No. 14. 15. 22
 & 23 - Milky 1st rate hard ash, Locust, Buckeye
 W. Oak, Sugar tree, Hickory & Spruce &c

West Connected line between Fed. No. 15 & 22 & set $\frac{1}{4}$ sec.
 post to average dis. from which a Buckeye 7 ins. dia.
 bears N 32 E 11 lbs. & a Hick. 18 ins. bears S 46 W 57 $\frac{1}{2}$ lbs.
 Continued W. on true line & fell 4. 71 lbs. St. of temp.
 centre post, moved it to centre cor. of Fed. No. 15. 16.
 21 & 22 from which a W. ash 30 ins. dia. bears S 89 W
 32 lbs. dis. & a H. Locust 8 ins. dia. bears East, 66 lbs. dis.

North Traveled N. between Fed. No. 15 & 16 & moved $\frac{1}{4}$ sec.
 post to average dis. from which a Sugar tree 6 ins. dia.
 bears N 63. 30 W 29 lbs. dis. & a W. ash 6 ins. dia. bears
 S 49. 30 E 20 lbs. dis.

South Traveled S. between Fed. No. 21 & 22 & moved $\frac{1}{4}$ sec. post
 to average dis. from which a B. ash 20 ins. dia. bears N 41.
 30 E 17 lbs. & a W. Elm 25 ins. dia. bears S 49 W 36 $\frac{1}{2}$ lbs. dis.

West From centre post on true line between Fed. No. 16 & 21
 Set the $\frac{1}{4}$ sec. post on the true line from which a W.
 ash 18 ins. dia. bears N 42 50 E 20 $\frac{1}{2}$ lbs. dis. & a W
 ash 16 " " " S 42. 50 W 55 $\frac{1}{2}$ " "
 Continued the line to the cor. of Fed. 16. 17. 20 & 21.

South Having no post to run to proceeded to run and
 blaze the line between Fed. No. 27 & 28
 9.00 to Indian creek 93 lbs. wid. runs S. W.
 16.51 To the Ohio River - set post from which a Gycamore
 22 ins. dia. bears N 47 W. 67 lbs. dis. & a Water maple
 10 " " " N 7 W 82 lbs. dis. an overflowed bottom

South Having no post to run to proceeded to run & blaze

J. D. R. 3. W. 1st Mer.

the line between sec. (No. 13 & 14

76.50 To the Ohio River, set post from which a
Willow 11 ins. dia. bears $N 6^{\circ} E$ 40 lbs. dis. & a
Do 8 " " " $N 24^{\circ} E$ 6 ft " "

The last 10 lbs. is a Buck flat, mixed with
Sugar, ash, Hackberry & Buckeye - the other
timbers with ash. Sugar tree, Walnut, Buckeye
and Buck timber

East Having no post to run to proceeded to run &
lay the line between sec. (No. 14 & 23.

10.92 a Buck 15 lbs. wide runs $N 10^{\circ} W$

65.70 a Do 20 " " " $S. East$

71.00 To the Ohio River - set post from which a
Maple 17 ins. dia. bears $N 52^{\circ} W$ 52 lbs. dis. & a
Sycamore 13 ins. dia. bears $N 79^{\circ} W$ 80 lbs. distant.
Buck bottom mixed with ash. Sugar tree,
Hackberry & Buckeye

Surveyed by

Cap. Sur.

3rd

This line omitted

South Between sec. No. 14 & 15

15.00 a Buck 10 ins. dia

33.36 an ash 24 ins. dia. large open ridges

62.67 a Buckeye 9 ins. dia

70.00 a Buck 10 ins. dia. on the top of the River hill

80.00 a post from which a Hickory 14 ins. dia. bears
 $S 21^{\circ} W$ 14 lbs. dis. & a Hackberry 15 " " "
 $N 56^{\circ} E$ 6 lbs. dis. (This mile 1st rate land)
large ridges, timber ash, Buck, Sugar tree, Elm,
Buckeye, Hackberry & Walnut, Spice under
brush,

T. 2. R. 3 W. 1. Mer.

I certify that the foregoing Transcript
of the Field notes of Township No. 2 Range
No. 3 West of the 1st Mer. has been compared
with the original in this office and found
to be correct

Surveyor General's Office
Cincinnati, Feb. 10. 1841.

D. S. Lea
Sur Genl